



Bosch Climate 5000 RAC Air Conditioning Units



Why install a Bosch Air Conditioning unit?

The Bosch Climate 5000 RAC Air Conditioning unit comes packed with a host of benefits, including:

- ▶ A 5 year guarantee as standard
- ▶ Turbo mode for rapid cooling and heating of your home
- ▶ An easy to use remote control for adjusting the temperature to meet your needs
- ▶ Silent mode, this function runs the unit at its quietest, perfect for keeping you cool at night
- ▶ A high density filter that eliminates up to 95% of dust particles, smoke odour and pollen
- ▶ Eco mode, which reduces the power consumption of the unit, using less energy
- ▶ Our 'follow me' setting, which allows you to change the focus of the warm or cool air to where you are located within your room.



Our customers rate us excellent

Trustpilot rated Excellent
Our customers have consistently rated us 'Excellent' on [Trustpilot.co.uk](https://www.trustpilot.co.uk)



Up to 5 Years Guarantee
Up to 5 years guarantee available on all Bosch air conditioning units*



Royal Warrant
We are honoured to have received a Royal Warrant in recognition of supplying goods to Her Majesty The Queen



BOSCH
Invented for life

Part of the Bosch Group
All products are manufactured with Bosch levels of quality and reliability as standard

*Terms and conditions apply

Technical data

| Model | | 5000 RAC 2.6-2 | 5000 RAC 3.5-2 | 5000 RAC 5.3-2 | 5000 RAC 7-2 |
|-----------------------------------------------|---------|-------------------|-------------------|-------------------|-------------------|
| General | | | | | |
| Power supply | Ph-V-Hz | 220-240V,1Ph,50Hz | 220-240V,1Ph,50Hz | 220-240V,1Ph,50Hz | 220-240V,1Ph,50Hz |
| Max. operating current | A | 10 | 10 | 13.5 | 17.5 |
| ErP Energy efficiency class (heating/cooling) | | A+/A++ | A+/A++ | A+/A++ | A+/A++ |
| Cooling | | | | | |
| Nominal capacity | kW | 2.6 | 3.5 | 5.3 | 7 |
| Nominal power consumption (min-max) | W | 710 (100-1240) | 1237 (130-1580) | 1539 (140-2360) | 2345 (160-2960) |
| Nominal operating current (min-max) | A | 3.1 (0.4-5.4) | 5.4 (0.5-6.9) | 6.9 (0.6-10.3) | 10.2 (0.7-13.3) |
| SEER | W/W | 6.2 | 6.1 | 7.1 | 6.1 |
| Heating | | | | | |
| Nominal capacity | kW | 2.9 | 3.8 | 5.6 | 7.3 |
| Nominal power consumption (min-max) | W | 739 (120-1200) | 964 (100-1580) | 1480 (200-2410) | 2035 (260-3140) |
| Nominal operating current (min-max) | A | 3.2 (0.5-5.2) | 4.2 (0.4-6.9) | 6.4 (0.9-10.5) | 10.2 (1.1-13.3) |
| SCOP | | 4.0 | 4.0 | 4.0 | 4.0 |
| Indoor Unit | | | | | |
| Indoor unit airflow (H/M/L) | m3/h | 520/460/360 | 600/500/360 | 840/680/540 | 980/817/662 |
| Indoor sound pressure level (H/M/L/Night) | dB(A) | 40/30/26/21 | 40/34/26/22 | 44/37/30/25 | 44.5/42/34.5/28 |
| Indoor sound power level | dB(A) | 53 | 53 | 55 | 59 |
| Weight | kg | 7.5 | 7.5 | 10 | 12.3 |
| Outdoor Unit | | | | | |
| Outdoor unit airflow (H/M/L) | m3/h | 1700 | 1700 | 2500 | 3000 |
| Outdoor sound pressure level (H/M/L/Night) | dB(A) | 55.5 | 56 | 56 | 59.5 |
| Outdoor sound power level | dB(A) | 61 | 65 | 61 | 67 |
| Weight | kg | 22.8 | 22.7 | 34 | 51.5 |

How our air conditioning units work

Our air conditioning packages come with an indoor and an outdoor unit, with a remote control included as standard. The indoor unit is placed in a high positioning that can supply your room with an even flow of warm or cool air. These work with the outdoor unit which removes the heat from your indoor unit, releasing it back outside. This unit would need to be fitted outside, either on a wall, balcony, roof or potentially even on the floor



For more information on our air conditioning range, visit worcester-bosch.co.uk